




| ALU DOORS |

CATALOGUE _ V01



SUPERIOR 3DLINE

For some people one way is not enough!

They need more.
They need bright strength and luminous art.
They need a door like Superior 3d Entrance.

SUPERIOR 3D
LINE





V10100



V10201

**SUPERIOR 3D
LINE**



V10104




V10301




V10101



| SUPERIOR 3D GIRAFFE LINE






SUPERIOR 3D GIRAFFELINE

An entrance that glows.

Inspired from nature!

**SUPERIOR 3D
GIRAFFELINE**





V20200



V20201

**SUPERIOR 3D
GIRAFFELINE**



V20202



V20203




V20204

SUPERIOR 3D LINE

STANDARD EQUIPMENT

Both – sided sash overlapping panel 95.5mm. Aluminium thickness 3mm and 2x2mm. Inox ornaments on the same level with alu sheets.

- > **3 hinges** Rollenband 3D
- > **Inside handle** Inox ID-35
- > **Outside Handle Angular**
inox 1600mm placed on panel
- > **Glazing** 4 glasses, safety glass
inside and outside 33.1+4+4+33.1
- > **Safety cylinder** with five keys
- > **Rosette ring**
- > **3 point** security door locking
system with hooks
- > **Anodised Threshold**
- > **Ud = 0.81 W/m²K**






SUPERIOR 3D LINE

STANDARD EQUIPMENT

VERTICAL SECTION



AVANTAGELINE





AVANTAGELINE

The absolute flat!
Touch and feel a refined, flat, glassy surface.


Install an Entrance door from Advantage line.
Let people wonder what is behind!!!

AVANTAGE
LINE






VO143
AVANTAGE | ELEGRAND LINE



VO170
AVANTAGE | ELEGRAND LINE

AVANTAGE
LINE




Vo480
AVANTAGE LINE



Vo220
AVANTAGE LINE



Vo232
AVANTAGE | ELEGRAND LINE



VO321

AVANTAGE | ELEGRAND LINE



AVANTAGE LINE



VO340
AVANTAGE | ELEGRAND LINE



VO430
AVANTAGE LINE



VO453
AVANTAGE | ELEGRAND LINE

AVANTAGE LINE



Vo462
AVANTAGE | ELEGRAND LINE



Vo463
AVANTAGE | ELEGRAND LINE



Vo470
AVANTAGE | ELEGRAND LINE



Vo103
AVANTAGE | ELEGRAND LINE

AVANTAGE LINE



Vo500
AVANTAGE | ELEGRAND LINE



Vo502
AVANTAGE | ELEGRAND LINE



Vo560
AVANTAGE | ELEGRAND LINE



V1330

AVANTAGE | ELEGRAND LINE



V1350

AVANTAGE | ELEGRAND LINE


AVANTAGE
LINE



V1360
AVANTAGE | ELEGRAND LINE



V1390
AVANTAGE | ELEGRAND LINE



V1400
AVANTAGE | ELEGRAND LINE




V1410
AVANTAGE | ELEGRAND LINE

AVANTAGE
LINE



V1220
AVANTAGE | ELEGRAND LINE



V1230
AVANTAGE | ELEGRAND LINE




V1300
AVANTAGE | ELEGRAND LINE

AVANTAGE LINE

STANDARD EQUIPMENT

Both – sided sash overlapping panel 77mm. Aluminium thickness 3mm and 3mm. Inox ornaments on the same level with alu sheets.

- > **3 hinges** 3D
- > **Inside handle** Inox ID-20
- > **Outside Handle Round**
inox 800 mm placed on sash
- > **Glazing** 4 glasses, safety glass
outside 33.1+4+4+4
- > **Safety cylinder** with five keys
- > **Rosette ring**
- > **3 point** security door locking
system with hooks
- > **Anodised Threshold**
- > **Ud = 0.92 W/m²K**



AVANTAGE LINE

STANDARD EQUIPMENT



4 glasses, safety glass
outside 33.1+4+4+4



Safety cylinder
EX-200



Round rosette
EX-900



3D Hinge
EX-301



Inside Handle ID-20
EX-500




OUTSIDE HANDLE 800MM
V175.30.800

3 point hooklock

EX-100

VERTICAL SECTION



ELEGRANDLINE





ELEGRANDLINE

As flat as curved!

When architecture demands it!!!

ELEGRAND
LINE





Vo101
ELEGRAND | AVANTAGE LINE



Vo102
ELEGRAND | AVANTAGE LINE


ELEGRAND
LINE




Vo130
ELEGRAND | AVANTAGE
COMPACT | ECO LINE



Vo151
ELEGRAND | AVANTAGE LINE



Vo171
ELEGRAND | AVANTAGE LINE



VO172

ELEGRAND | AVANTAGE LINE



ELEGRAND
LINE



V1630

ELEGRAND | AVANTAGE
COMPACT | ECO LINE



VO210
ELEGRAND | AVANTAGE | COMPACT LINE



VO221
ELEGRAND | AVANTAGE LINE

ELEGRAND
LINE



Vo230
ELEGRAND | AVANTAGE LINE



Vo250
ELEGRAND | AVANTAGE LINE



Vo251
ELEGRAND | AVANTAGE LINE



Vo260
ELEGRAND | AVANTAGE LINE

ELEGRAND
LINE



Vo281
ELEGRAND | AVANTAGE LINE



Vo302
ELEGRAND | AVANTAGE LINE




Vo320
ELEGRAND | AVANTAGE LINE



VO330


ELEGRAND | AVANTAGE LINE



VO350

ELEGRAND | AVANTAGE LINE

ELEGRAND
LINE



VO351
ELEGRAND | AVANTAGE LINE



VO361
ELEGRAND | AVANTAGE LINE



VO391
ELEGRAND | AVANTAGE LINE




VO411

ELEGRAND | AVANTAGE LINE



ELEGRAND
LINE




V1250
ELEGRAND | AVANTAGE LINE



VO431
ELEGRAND | AVANTAGE LINE




VO491
ELEGRAND | AVANTAGE LINE



VO550


ELEGRAND | AVANTAGE LINE




V1240

ELEGRAND | AVANTAGE LINE

ELEGRAND
LINE



VO270
ELEGRAND | AVANTAGE LINE




VO510
ELEGRAND | AVANTAGE LINE



V1420
ELEGRAND | AVANTAGE LINE



V1500
ELEGRAND | AVANTAGE LINE



Vo580
ELEGRAND | AVANTAGE LINE

ELEGRAND
LINE




V1260
ELEGRAND | AVANTAGE LINE



V1270
ELEGRAND | AVANTAGE LINE



V1280
ELEGRAND | AVANTAGE LINE



V1310
ELEGAND | AVANTAGE LINE





ELEGANT TRADITION ALLINE





ELEGRAND TRADITIONALLINE

**Your romantic traditional home
needs an everlasting beauty!!!**

Traditional Handmade Entrance door to last through time.

ELEGRAND TRADITIONALLINE



V1030
ELEGRAND | AVANTAGE LINE



V1031
ELEGRAND | AVANTAGE LINE



V1060
ELEGRAND | AVANTAGE LINE



V1063
ELEGRAND | AVANTAGE LINE



ELEGRAND TRADITIONALLINE



V1100
ELEGRAND | AVANTAGE LINE



V0530
ELEGRAND | AVANTAGE LINE



V0534
ELEGRAND | AVANTAGE LINE



V1101
ELEGRAND | AVANTAGE LINE




ELEGRANDLINE







STANDARD EQUIPMENT

Both - sided sash overlapping panel 78.2mm. Aluminium thickness 2mm and 1mm. Inox ornaments on the same level with alu sheets.

- > **3 hinges** 2D
- > **Inside handle** Inox ID-20
- > **Outside Handle Round**
inox 800 mm placed on sash
- > **Glazing** 3 glasses, 4+4+4
- > **Simple cylinder** with three keys
- > **Rosette ring**
- > **3 point** security door locking system with hooks
- > **Anodised Threshold**
- > **Ud = 0.98 W/m²K**



STANDARD EQUIPMENT





A vertical strip on the left side of the image showing a wood grain texture with horizontal lines in shades of brown and tan.

COMPACTLINE

A solution for you!


Simple and beautiful!!!

COMPACT
LINE





Vo100
COMPACT | AVANTAGE
ELEGRAND LINE



Vo110
COMPACT | AVANTAGE
ELEGRAND LINE

COMPACT LINE



Vo111

COMPACT | AVANTAGE
ELEGRAND | ECO LINE




Vo131

COMPACT
AVANTAGE | ECO LINE



Vo160

COMPACT | ELEGRAND LINE




Vo101

COMPACT | ELEGRAND LINE



COMPACT
LINE




Vo190
COMPACT | AVANTAGE
ELEGRAHD LINE



Vo200


COMPACT | AVANTAGE
ELEGAND | ECO LINE



Vo222

COMPACT | ELEGAND LINE

COMPACT LINE




Vo261
COMPACT | ELEGRAND LINE



Vo280
COMPACT
ELEGRAND | ECO LINE




Vo392
COMPACT | AVANTAGE
ELEGRAND LINE



Vo581
COMPACT | ELEGRAND | ECO LINE

COMPACT
LINE




V1340

COMPACT | ELEGRAND | ECO LINE



V1380

COMPACT | ELEGRAND LINE



V1430

COMPACT | ELEGRAND LINE

COMPACTLINE

STANDARD EQUIPMENT


Both – sided sash overlapping panel 69.1mm. Aluminium thickness 1.5mm and 1.5mm. Inox ornaments above the level of alu sheets.

- > **3 hinges** 2D
- > **Inside handle** Inox ID-20
- > **Outside Handle Round**
inox 400 mm placed on sash
- > **Glazing** 3 glasses, 4+4+4
- > **Simple cylinder** with three keys
- > **Rosette ring**
- > **1 point** locking system
- > **Anodised Threshold**
- > **Ud = 0.96 W/m²K**



COMPACTLINE

STANDARD EQUIPMENT



3 glasses 4+4+4



Simple cylinder
EX-206



Round rossete
EX-900



2D Hinge
EX-306



Inside Handle ID-20
EX-500




1 point lock
EX-107




OUTSIDE HANDLE 400MM
V175.30.400

VERTICAL SECTION





| ECOLINE





ECOLINE

Simple and free of exaggerations!

Simplicity of straight lines.

ECOLINE





VO112

ECO | ELEGRAND | COMPACT LINE



VO144

ECO | ELEGRAND | COMPACT LINE

ECOLINE



Vo130

ECO | AVANTAGE
ELEGRAND | COMPACT LINE




Vo311

ECO | AVANTAGE
ELEGRAND | COMPACT LINE



Vo360

ECO | ELEGRAND | COMPACT LINE




VO440
ECO | COMPACT LINE

ECOLINE

STANDARD EQUIPMENT


Both – sided sash overlapping panel 64.3mm. Aluminium thickness 1.5mm and 1mm. Inox ornaments above the level of alu sheets.

- > **3 hinges**
- > **Inside handle** Inox ID-20
- > **Outside Handle Round**
inox 400 mm placed on sash
- > **Glazing** 3 glasses, 4+4+4
- > **Simple cylinder** with three keys
- > **Rosette**
- > **1 point** locking system
- > **Anodised Threshold**



ECOLINE

STANDARD EQUIPMENT



3 glasses 4+4+4



Simple cylinder
EX-206



Round rossette
EX-901



Eco Hinge
EX-307



Inside Handle ID-20
EX-500




1 point lock
EX-107



OUTSIDE HANDLE 400MM
V175.30.400

VERTICAL SECTION



EXTRA EQUIPMENT



Key Protection
EX-705



Key Protection
EX-704



Bluetooth
opening system
EX-402



Fingercan
opening system
EX-401



Keyboard
opening system
EX-403

V175 Round Handle on sash	
KQΔ / CODE	L (mm)
V175.30.400	400
V175.30.600	600
V175.30.800	800
V175.30.1000	1000
V175.30.1200	1200
V175.30.1400	1400
V175.30.1600	1600
V175.30.1800	1800



V170 Round Handle on panel	
KQΔ / CODE	L (mm)
V170.40.400	400
V170.40.600	600
V170.40.800	800
V170.40.1000	1000
V170.40.1200	1200
V170.40.1400	1400
V170.40.1600	1600
V170.40.1800	1800



V235 Angular Handle on sash	
KQΔ / CODE	L (mm)
V235.50.400	400
V235.50.600	600
V235.50.800	800
V235.50.1000	1000
V235.50.1200	1200
V235.50.1400	1400
V235.50.1600	1600
V235.50.1800	1800



V440 Angular Handle on panel	
KQΔ / CODE	L (mm)
V440.60.400	400
V440.60.600	600
V440.60.800	800
V440.60.1000	1000
V440.60.1200	1200
V440.60.1400	1400
V440.60.1600	1600
V440.60.1800	1800



V145 Arched Handle	
KQΔ / CODE	L (mm)
V145.80.500	500
V145.80.800	800
V145.80.1000	1000
V145.80.1200	1200
V145.80.1400	1400



V70 Angular Handle on sash with integrated finger scan	
KQΔ / CODE	L (mm)
V70.1200	1200



V90 / V90F (FINGERPRINT)	
KQΔ / CODE	L (mm)
V90	400
V90 F (Fingerprint)	400



V810 (L=826 D=400) Handle on panel	
KQΔ / CODE	L (mm)
V810	826



Foot protection – EX-707



Foot protection – EX-706

0 1 2 3 4 5 6 7 8 9

Numbers from stainless steel – EX-708


0 1 2 3 4 5 6 7 8 9

Numbers from glass inside panel – EX-709



V820 Hidden Handle in panel	
KQΔ / CODE	L (mm)
V820	200-2000

EXTRA EQUIPMENT



Hinge
EX-301



Hidden Hinge
EX-303



Hinge
EX-304



Hinges safety
EX-310



Safety Rosette
EX-902



Safety Rosette
EX-903



Safety Rosette
EX-904



Safety Rosette
EX-905



Cylinder with keys
in and out EX-203



Safety cylinder
EX-200



Electric strike
EX-400




Block (EX-105)
EX-409



Spyhole
EX-404



Spyhole with
camera EX-405



Door closer
EX-600



Door closer
EX-601




Inside Handle
ID 20 EX-500



Inside Handle
ID 30 EX-501



Inside Handle
ID 35 EX-502



5 point hooklock

EX-102

EX-104: 3 point electric hooklock | EX-101: 3 point hooklock automatik

EX-104
EX-101

17 point hooklock with 2 double hooks and 12 safe bolts

EX-103

3 point hooklock with trap

EX-105

